

Excavator 360

A58

Below 10 tonne

Technical Test – Theory

Roles and responsibilities	1. What is the definition of, or how can a hazard be described?
	A
	2. What is the purpose of a risk assessment?
	A
	3. List SIX typical subject areas that should be covered in a site induction.
	A
	4. What THREE main duties of the Health and Safety at Work Act must employees follow?
	A
	5. What does the Health and Safety at Work Act require employers to do with regards specifically to plant?
	A
	6. a) What is the purpose of a Method Statement and b) what is required of the operator?
	A
	7. Name FOUR different types or levels of sanctions that can be applied (by employers and judicial bodies) to plant operators who do not comply with, or follow legislation and regulations.
	A
	8. Plant operators are generally regarded as 'safety-critical' workers. What does this mean?
	A

continued...

Roles and responsibilities continued	9. Name THREE ways in which an operator can minimise their impact upon the environment whilst using the machine.
	A
	10. In what situation does a hard hat NOT need to be worn when operating a 360 excavator?
	A
	11. The operator has to fit and use a new bucket using a quick-hitch coupler that they are unfamiliar with. What do Regulations (i.e. PUWER 98) and other guidance require the operator to have?
	A
	12. What are the possible outcomes if being prosecuted (by judicial bodies) for not complying with legislation and regulations?
	A
	13. How can a qualification or card benefit a plant operator?
	A
Preparing for work	14. Name THREE ways that a plant operator can contribute in ensuring repeat business with the client or main contractor.
	A
	15. Where should the excavator's Operator's Manual be kept and why?
	A
	16. If the operator has to top-up the hydraulic oil, state TWO precautions to ensure cleanliness of the system.
	A

continued...

Preparing for work continued	For questions 17 and 18 the Operator's Manual for the machine being used for the test MUST be available for reference by the candidate
	17. Using the Operator's Manual, state the figure for setting track tension. For wheeled units, state the tyres' operating pressure.
	A
	18. Using the Operator's Manual, state the cold-starting procedure for the machine.
	A
	19. State the purpose of the check valve(s) located on the boom cylinder rams.
	A
	20. What is the purpose of a roll or ROPS frame?
	A
	21. If checking the oil level using a dipstick, why must gloves be worn?
	A
	22. Apart from the operator, who else may need to use the machine's Operator's Manual?
	A
	23. What is the purpose of the counterweight of the machine?
	A
24. What is meant by zero-tail swing excavators?	
A	
25. During work, the engine starts to overheat. Explain the danger if someone tries to remove the radiator or expansion tank cap.	
A	
Travelling and manoeuvring	26. If both travel levers (or travel pedal for wheeled machines) are pushed forwards when the track motors (or driving wheels) are in front of the cab, in which direction would the machine move?
	A

continued...

Travelling and manoeuvring continued	27. If the machine is being travelled or working on the public highway, including adjacent pavements and verges, the Road Traffic Act applies. a) What type of licence and which classes should the operator hold and b) what is the minimum age allowed?
	A
	28. When MUST a banksman/signaller be used before moving an excavator?
	A
	29. Why must the seat belt be worn, even with the cab door closed?
	A
Setting up for work	30. Give FOUR reasons that may cause the machine to tip over – forwards and/or sideways.
	A
	31. What information does the 'dig-envelope' (also known as 'working range') chart give? (Candidates may be shown a copy of a chart)
	A
	32. Explain ALL visual checks that must be carried out on all types of quick-hitch bucket attaching systems before use.
	A
	33. On a semi-automatic quick-hitch bucket attaching system: a) what is the purpose of the safety pin and b) what checks MUST be made to the pin before use?
	A
	34. Cable avoidance tools (CATs) can detect a variety of buried services. What type of material do they have limitations in locating?
A	

continued...

Setting up for work continued	35. Describe ONE physical method of checking that a bucket is fully secured to the quick-hitch coupler prior to work.
	A
	36. Name TWO types of equipment used to ensure that excavation levels, measurements and positions are to the required specification.
	A
	37. When working in a confined area or space: a) what danger can be present with regards to the counterweight of the machine, b) what is the recommended minimum distance and c) what measures must be implemented if the gap is less?
	A
	38. If setting up to excavate in a confined area, name TWO things that should be taken into account before starting.
	A
	39. What particular and specific hazards can affect the stability of the machine when working on old industrial (Brownfield) sites?
	A
	40. If setting up to work in a pedestrianised area, state THREE factors that need to be taken into account.
	A
	41. The operator is asked to excavate a new trench. State FIVE different requirements that must be considered or implemented before work commences.
	A
42. Before manually changing any bucket: a) where should the bucket be positioned (in relation to the ground) before removing the final pin and b) why?	
A	

continued...

Setting up for work continued	43. With regards to lifting accessories, irrespective of who supplied the accessories, what THREE factors should be ensured before the accessories are used?
	A
Setting up for work continued	44. a) What is the recommended minimum distance to be kept away from overhead power lines mounted on wooden poles when setting up the machine and b) explain why a distance should be kept.
	A
Working tasks	45. If a trench has a depth of 2.0 metres: a) what is the minimum distance to maintain from the edge of the trench when placing spoil and b) explain why.
	A
	46. Why should different soils be segregated during excavating?
	A
	47. Give THREE reasons why an oversize bucket should not be used when excavating trenches to specification.
	A
	48. a) Why should the slewing direction be to the left wherever possible and b) explain why.
	A
	49. Why must excavator operators not begin to load vehicles until the forward tipping dumper driver is clear of their machine?
	A
Working tasks	50. What makes up the total (or gross) weight of a load that is to be lifted'?
	A
	51. Using the lifting capacity diagram (Annex A): a) what is the maximum lifting capacity at 4 metres radius over the sides of the track with the load at a height of 1.0 metre, b) what effect does fitting a bucket have on the lifting capacity and c) what effect does the dozer blade have on the lifting capacity?
A	
Working tasks	52. What factors determine the shoring requirements of a trench?
	A

continued...

Working tasks continued	53. Give TWO reasons why, wherever possible, operators should excavate ground in layers.
	A
	54. If a yellow coloured marker tape is unearthed during excavating, which two types of services could this indicate?
	A
	55. What is the nearest distance allowed to gas pipes when excavating with the machine?
	A
	56. When slewing with a load, where should the operator be looking?
	A
	57. What is the meaning of this hand signal (being demonstrated by the Tester)?
	A
	58. Explain a possible danger if the excavator is lifting a load on sloping ground, even though the load chart indicates that the machine can lift that load?
	A
Completing work	59. Before lowering a pipe into a deep trench, what trench-related checks must be made?
	A
	60. If the excavator is carrying out deep excavating work using the full working range, what hazard may occur?
A	
Shutdown	61. Describe TWO actions to be taken for an open trench at the end of a working day.
	A
	62. Before leaving the cab for a rest break, after parking and switching off the machine, what final action must be carried out?
	A
	63. When parking the machine at the end of the shift, name THREE places where the machine should NOT be parked.
	A

continued...

Shutdown continued	64. The operator has been asked to drive the machine onto a transporter/trailer. a) Who is responsible for the loading operations and b) state FOUR actions to be considered by the operator before loading commences.
	A
	65. Why should an excavator be re-fuelled at the end of the day?
	A